
## PROPOSED BUILDING HEIGHTS

N.T.S.

LOT "B-2"


LOT "B-1"



AVE. GRADE PRE CONSTRUCTION

105.0 104.8 105.5 105.8 421.1/4=105.3


COVERAGE LOT B-1: 30% OF 5,000 SF = 1,500 SF PRO. HOUSE/PORCH = 1,472±S.F. OR 29.4% DRIVEWAY = 350±SF OR 7.0% OPEN SPACE = 3,178±SF OR 63.6%



AVE. GRADE PRE CONSTRUCTION


105.0 105.0 105.0 105.0 420.0/4=105.0

COVERAGE LOT B-2: 25% OF 4,957 SF = 1,239 SF PRO. HOUSE = 1,215±S.F. OR 24.5% DRIVEWAY = 270±SF OR 5.5% OPEN SPACE = 3,472±SF OR 70.0%




COVERAGE LOT B-3: 25% OF 4,957 SF = 1,239 SF PRO. HOUSE/PORCH = 1,220±S.F. OR 24 DRIVEWAY = 252±SF OR 5.1% OPEN SPACE = 3,485±SF OR 70.3%

## AVERAGE GRADE CALCULATIONS AROUND FOUNDATION FOR CELLAR HEIGHT LOT "B-2"



## AVERAGE GRADE CALCULATIONS AROUND FOUNDATION FOR CELLAR HEIGHT LOT "B-3"



## AVERAGE GRADE CALCULATIONS AROUND FOUNDATION FOR CELLAR HEIGHT LOT "B-1"

